# MACHEREY-NAGEL



## **Safety Data Sheet**

### according to Regulations 1907/2006/EC (REACh) and 2015/830/EU

REF: 91344	QUANTOFIX Total iron 100	Page: 1/6
Printing date: 12.05.2021	Date of issue: 19.08.2019	

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1	Product identifier REF 91344	
	Product name QUANT	OFIX Total iron 100
		CTION 3.1/3.2 or s not exist because the annual tonnage does not require registration or ration.
	1 x 100	test strips
1.2	Relevant identified uses of the substa	ance or mixture and uses advised against
	Relevant identified uses Product for analytical use.	
	Exposure Scenario Classification acco	ording REACh, RIP 3.2 Codes: SU 0-2, PC 21, PROC 15, AC 0
	The exposure scenario is integrated ir If CE labelling: Product for in-vitro-diagnostic	
	Uses advised against not described	
1.3	Details of the supplier of the safety d	ata sheet
	Manufactured by:	
	MACHEREY-NAGEL GmbH & Co. KG Valencienner Str. 11, 52355 Düren, GERMAN	
1.4	Tel.: +49 2421 969 0	E-mail: sds@mn-net.com (msds@mn-net.com)
1.4	Emergency telephone number Information not necessary.	
	You find our current versions of SDS (22 languages) in Ir	ternet: http://www.mn-net.com/SDS
SECT	TION 2: Hazard identification	
2.1	Classification of the substance or mix	kture
	100 test strips	
		eed labelling as hazardous
	Signal word -	
	No hazard class	
2.2	Label elements	
	100 test strips	
	Do not need labelling as hazardous	
	Signal word: -	
2.3	Other hazards	

### Possible hazards from physicochemical properties

According to our current status of knowledge and experience we state, that this product does not contain any substances, which in accordance with EC regulations 1272/2008/EC, 1907/2006/EC and German Regulations for Hazardous goods - have to be declared as dangerous goods, either because of their applied concentration or because of their total amount in anyone kit. An individual package has considerably less hazardous potential. -

Information pertaining to particular risks to human and possible symptoms

Information pertaining to particular risks to the environment

ACHEREY-NAGE (MN> ISO 9001 CERTIFIEI

MACHEREY-NAGEL GmbH & Co. KG · Neumann-Neander-Str. 6-8 · 52355 Düren · Germany DE/international: CH: FR: US: Tel.: +49 24 21 969-0 Tel.: +41 62 388 55 00 Tel.: +33 388 68 22 68 Tel.: +1 484 821 0984 Fax: +49 24 21 969-199 Fax: +41 62 388 55 05 Fax: +33 388 51 76 88 Fax: +1 484 821 1272 Version: M V 4.12.0 E-mail: info@mn-net.com E-mail: sales-ch@mn-net.com E-mail: sales-fr@mn-net.com E-mail: sales-us@mn-net.com

www.mn-net.com



## according to Regulations 1907/2006/EC (REACh) and 2015/830/EU

REF: 91344 QUANTOFIX Total iron 100 Page: 2/6 Printing date: 12.05.2021 Date of issue: 19.08.2019

Other hazards

### **SECTION 3: Composition/information on ingredients**

#### 3.1 Substances or 3.2 Mixtures

100 test strips

t strips		
Chemical: cellulo	se	CAS No.: 9004-34-6
Classification:	No criteria for classification or naming of chemical not required.	
Formula:	(C <sub>6</sub> H <sub>10</sub> O <sub>5</sub> ) <sub>n</sub>	
TSCA Inventory:	listed	
REACH Reg. No.:	exempt, Annex IV	
EC No.:	232-674-9	
RTECS:	FJ5691460	
KE No.:	KE-05339	
Concentration:	1 - <10 %	
acc. CLP (GHS):	The criteria for classification are not fulfilled.	
Chemical: chemic	cals/mixture < 1%	CAS No.: -
Classification:	No criteria for classification or naming of chemical not required.	
TSCA Inventory:	all listed, <1%	
KE No.:	listed	
Concentration:	0.1 - <1 %	
acc. CLP (GHS):	The criteria for classification are not fulfilled.	
Chemical: PVC for	bil (CAS 9002-86-2)	CAS No.: -
Classification:	No criteria for classification or naming of chemical not required.	
TSCA Inventory:	listed	
Concentration:	95 - <100 %	
acc. CLP (GHS):	The criteria for classification are not fulfilled.	

#### 3.3 Remarks

When not listed, mixtures are added with water [CAS No. 7732-18-5] to 100%.

- - -

### **SECTION 4: First aid measures**

#### 4.1 Description of first aid measures

Place insured person out of danger zone to fresh air immediately.

4.1.1 After SKIN Contact Remove dust with wetted tissue. Not necessary. 4.1.2 After EYE Contact Rub dust with teardrops from eyes Not necessary. 4.1.3 After INHALATION of vapours Not necessary. After inhalation of dust fresh air should be inhaled. ---4.1.4 After ORAL Intake Not necessary. ---

#### 4.2 Most important symptoms and effects, both acute and delayed

#### 4.3 Indication of any immediate medical attention and special treatment needed No additionally recommendations. ---



MACHEREY-NAGEL GmbH & Co. KG · Neumann-Neander-Str. 6-8 · 52355 Düren · Germany DE/international: CH: FR: US: Tel.: +49 24 21 969-0 Tel.: +41 62 388 55 00 Tel.: +33 388 68 22 68 Tel.: Fax: +49 24 21 969-199 Fax: +41 62 388 55 05 Fax: +33 388 51 76 88 E-mail: sales-ch@mn-net.com E-mail: sales-fr@mn-net.com

www.mn-net.com

+1 484 821 0984 Fax: +1 484 821 1272 E-mail: sales-us@mn-net.com



### according to Regulations 1907/2006/EC (REACh) and 2015/830/EU

REF: 91344	QUANTOFIX Total iron 100	Page: 3/6		
Printing date: 12.05.2021	Date of issue: 19.08.2019			
SECTION 5: Firefighting measures				
e_e nen en en grung n				
5.1 Extinguishing media				

Fire extinguishers appropriate to the fire classification, and, if applicable, a fire blanket must be available in a prominent location in the work area. All extinguishers like FOAM, WATER SPRAY, DRY POWDER, CARBON DIOXIDE can be used.

5.2 Special hazards arising from the substance or mixture None 5.3 Advice for firefighters

No, for listed product. Product package burns like paper or plastic.

Additional information 5.4

## SECTION 6: Accidental release measures

6.1	Personal precautions, protective equipment and emergency procedures Not necessary.
6.2	Environmental precautions not necessary
6.3	Methods and material for containment and cleaning up Clean working area with water. Flush used water into drains.

6.4 Reference to other sections

## **SECTION 7: Handling and storage**

#### 7.1 Precautions for safe handling

Handling in accordance with the test instruction, that comes with the product.

- 7.2 Conditions for safe storage, including any incompatibilities The original product package of MACHEREY-NAGEL allows a safe storage. Storage class (VCI): 11 Water hazard class (DE): 1
- 7.2.1 Requirements for stock rooms and containers Keep original product packages tightly closed during handling and storage.

#### 7.3 Specific end use(s)

Product for analytical use. If CE labelling: Product for in-vitro-diagnostic use (IVD) or Accessory for medical use

### SECTION 8: Exposure controls/personal protection

#### 8.1 Control parameters

100 tost string

Chemical: <i>ce</i>	ellulose	CAS No.: 9004-34-6
TRGS 900 (DE):	: Staub 1.25 A / 4 E mg/m³ E/e respirable	
SUVA(CH) MAK NIOSH: [TWA] Time	. value: 3 a ppm TWA 10 (total) / 5 (resp) mg/m³ e-weighted average to a reference period of 8 hours, [STEL] Short-term exposure limi	t related to a 15-minute period
OSHA:	TWA 15 (total) / 5 (resp) mg/m³	
Chemical: ch	nemicals/mixture < 1%	CAS No.: -
Chemical: P	VC foil (CAS 9002-86-2)	CAS No.: -

#### 8.2 **Exposure controls**

Not necessary.

www.mn-net.com

ACHEREY-NAGE <mn> ISO 9001 CERTIFIEI

MACHEREY-NAGEL GmbH & Co. KG · Neumann-Neander-Str. 6-8 · 52355 Düren · Germany DE/international: CH: FR: US: Tel.: +49 24 21 969-0 Tel.: +41 62 388 55 00 Tel.: +33 388 68 22 68 Tel.: +1 484 821 0984 Fax: +49 24 21 969-199 Fax: +41 62 388 55 05 Fax: +33 388 51 76 88 Fax: +1 484 821 1272 Version: M V 4.12.0 E-mail: info@mn-net.com E-mail: sales-ch@mn-net.com E-mail: sales-fr@mn-net.com E-mail: sales-us@mn-net.com



## according to Regulations 1907/2006/EC (REACh) and 2015/830/EU

	1344	QUANTOFIX To	tal iron 100	Page: 4/6
Printing	date: 12.05.2021	Date of issue: 19	0.08.2019	
8.2.1	Respiratory protection Not necessary.			
8.2.2	Hand protection Not necessary.			
8.2.3	Eye protection Not necessary.			
8.2.4	Skin protection Not necessary.			
8.2.5	Personal hygiene Information not necessary.			
SECT	ION 9: Physical and cl	nemical properties		
9.1	Information on basic phy	sical and chemical prop	erties	
	<b>100 test strips</b> Appearance: solid	Colour: colored	Odor: odorless	
9.2	Other information Relevant Properties of Substar	ce Group		
SECT	ION 10: Stability and r	eactivity		
10.1	<b>Reactivity</b> None			
10.2	Chemical stability No known instability.			
10.3	Possibility of hazardous None.	reactions		
10.4	Conditions to avoid Not known			
10.5	Incompatible materials Not known. Avoid contact with co	ncentrated acids and oxidizing a	jents.	
10.6	Hazardous decomposition	on products	ted stored. Decompositions are not observed du	uring the expiration

#### 11.1 Information on toxicological effects

Following information is valid for pure substances. Quantitative data on the toxicity of this product are not available.

### 100 test strips

Chemical: d	cellulose	CAS No.: 9004-34-6
TSCA Inventory:	listed	California Proposition 65 List: not listed
Exposure Routes:	inhalation, skin a	and/or eye contact
Target Organs:	Eyes, skin, respi	ratory system
Symptoms:	irritation eyes, sl	kin, mucous membrane
Australia NICNAS:	not listed	Canada CEPA 1999: DSL yes
Japan CSCL/PRTR:	not listed, Japan	PDSCL: not listed
Japan ISHL:	not listed	
South Korea TCCA:	not listed	
Korea Exist.Chem.Inve	entory: KE-05339	
LD50 <sub>orl rat</sub> :	>5000 mg/kg	
LC50 <sub>ihl rat</sub> :	>5800 <sub>4h</sub> mg/m³	
LD50 <sub>drm rbt</sub> :	>2000 mg/kg	



MACHEREY-NAGEL GmbH & Co. KG · Neumann-Neander-Str. 6-8 · 52355 Düren · Germany US: DE/international: CH: FR: +41 62 388 55 00 Tel.: +49 24 21 969-0 Tel.: Tel.: +33 388 68 22 68 Tel.: +1 484 821 0984 +49 24 21 969-199 +41 62 388 55 05 Fax: Fax: Fax: +33 388 51 76 88 Fax: +1 484 821 1272 Version: M V 4.12.0 E-mail: info@mn-net.com E-mail: sales-ch@mn-net.com E-mail: sales-fr@mn-net.com E-mail: sales-us@mn-net.com

www.mn-net.com



## according to Regulations 1907/2006/EC (REACh) and 2015/830/EU

REF: 91344		QUANTOFIX Total iron 100	Page: 5
Printing date	: 12.05.2021	Date of issue: 19.08.2019	
	Chemical: <i>chemicals/mix</i> TSCA Inventory: all liste Korea Exist.Chem.Inventory: listed	<i>ture</i> < 1% ed, <1%	CAS No.: -
	Chemical: PVC foil (CAS TSCA Inventory: listed	9002-86-2)	CAS No.: -
SECTION	N 12: Ecological informa	tion	
	DXICITY Illowing information is valid for pure	substances.	
	<b>100 test strips</b> Chemical: <i>cellulose</i> Water hazard class (DE): Storage class (VCI):	nwg 11	CAS No.: 9004-34-6
	Chemical: chemicals Water hazard class (DE): Storage class (VCI):	:/mixture < 1% 1 12-13	CAS No.: -
	Chemical: PVC foil (	CAS 9002-86-2)	CAS No.: -
	ersistence and degradability		
	ioaccumulative potential t necessary		
	<b>obility in soil</b> t necessary		
-	esults of PBT and vPvB asse	ssment	
	ther adverse effects additional data available		
	13: Disposal considera	itions	
	cessary.		
	<b>/aste treatment methods</b> ENERAL: Empty solids into municipal v	vaste, empty liquids diluted into drains.	

## **SECTION 14: Transport information**

14.1 - 14.4 Not necessary

#### 14.5 **Environmental hazards** none

14.6 Special precautions for user not necessary

### Transport in bulk according to Annex II of MARPOL and the IBC Code 14.7 not applicable



MACHEREY-NAGEL GmbH & Co. KG · Neumann-Neander-Str. 6-8 · 52355 Düren · Germany DE/international: CH: FR: +41 62 388 55 00 Tel.: +49 24 21 969-0 Tel.: Tel.: +33 388 68 22 68 +49 24 21 969-199 +41 62 388 55 05 Fax: Fax: Fax: +33 388 51 76 88 Version: M V 4.12.0 E-mail: info@mn-net.com

E-mail: sales-ch@mn-net.com

E-mail: sales-fr@mn-net.com

US: Tel.: +1 484 821 0984 Fax: +1 484 821 1272 E-mail: sales-us@mn-net.com



### according to Regulations 1907/2006/EC (REACh) and 2015/830/EU

REF: 91344	QUANTOFIX Total iron 100	Page: 6/6
Printing date: 12.05.2021	Date of issue: 19.08.2019	

### **SECTION 15: Regulatory information**

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture German act governing protection from hazardous substances (Chemicals Act / Chemikaliengesetz- ChemG), revised on August 2013 German order governing protection from hazardous substances (Ordinance on Hazardous Substances / Gefahrstoffverordnung -GefStoffV), revised on November 2010, according to Directive 98/24/EC MN Leaflet/User manual, also see www.mn-net.com Look for your country-specific regulations.

15.2 Chemical safety assessment

### SECTION 16: Other information

- 16.1 List of H and P phrases
- 16.1.1 List of relevant H phrases

16.1.2 List of relevant P phrases

- 16.2 Training advice
  - Regular safety training.
- 16.3 Recommended restriction on use None

#### 16.4 **Further information**

MACHEREY-NAGEL GmbH & Co. KG provides the information contained herein in good faith being up-to-date of own realizations at revision time. This document is intended only as a guide to the appropriate precautionary handling of the material by a properly trained person using this product. Individuals receiving the information must exercise their independent judgement in determining its appropriateness for a particular purpose.

MACHEREY-NAGEL GmbH & Co. KG makes NO REPRESENTATIONS or WARRANTIES, either expressed or implied, including without limitation any warranties of merchantability, fitness for a particular purpose with respect to the information set forth herein or the product to which the information refers. Accordingly MACHEREY-NAGEL GmbH & Co. KG will not be responsible for damages resulting from use of or reliance upon this information. See terms and conditions at the end of our price lists for additional information.

#### 16.5 Sources of key data

Regulation 453/2010/EU REACH - REQUIREMENTS FOR THE COMPILATION OF SAFETY DATA SHEETS Regulation 487/2013/EU, 4<sup>th</sup> adaptation of CLP regulation to technical and scientific progress Regulation 669/2018/EU, 4<sup>th</sup> adaptation of CLP regulation to technical and scientific progress Regulation 1480/2018/EU, 4th adaptation of CLP regulation to technical and scientific progress TRGS 900, German engineering rules governing limits in air at work, updated 03/2019 SUVA .CH, Limits in air at work 2009, revised on 01.2009 KÜHN, BIRETT Merkblätter Gefährliche Arbeitsstoffe (Data Sheets of Hazardous Substances)

### **Revisions/Updates**

Reason for Revision: 2016-03 Adaptation of regulation 1221/2015/EU

www.mn-net.com



MACHEREY-NAGEL GmbH & Co. KG · Neumann-Neander-Str. 6-8 · 52355 Düren · Germany DE/international: CH: **FR**· US: Tel.: +49 24 21 969-0 Tel.: +41 62 388 55 00 Tel.: +33 388 68 22 68 Fax: +49 24 21 969-199 Fax: +41 62 388 55 05 Fax: +33 388 51 76 88 Version: M V 4.12.0 E-mail: info@mn-net.com E-mail: sales-ch@mn-net.com E-mail: sales-fr@mn-net.com

Tel.: +1 484 821 0984 Fax: +1 484 821 1272 E-mail: sales-us@mn-net.com