MACHEREY-NAGEL



Safety Data Sheet

according to Regulations 1907/2006/EC (REACh) and 2015/830/EU

REF: 91323	QUANTOFIX Carbonate alkalinity	Page: 1/6
Printing date: 12.05.2021	Date of issue: 14.02.2019	

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1	Product identifier			
	REF 91323 Product name QUANTOFIX Carbonate alkalinity			
	REACH Registration number(s): see SECTION 3.1/3.2 or A registration number for the substance(s) does not exist because the annual tonnage does not require registration or the substance or its use is excluded from registration.			
	1 x 100 test strips			
1.2	Relevant identified uses of the substance or mixture and uses advised against Relevant identified uses Product for analytical use. Exposure Scenario Classification according REACh, RIP 3.2 Codes: SU 0-2, PC 21, PROC 15, AC 0 The exposure scenario is integrated into sections 1-16. If CE labelling: Product for in-vitro-diagnostic use (IVD) or Accessory for medical use			
	Uses advised against not described			
1.3	Details of the supplier of the safety data sheet Manufactured by: MACHEREY-NAGEL GmbH & Co. KG Valencienner Str. 11, 52355 Düren, GERMANY Tel.: +49 2421 969 0 E-mail: sds@mn-net.com (msds@mn-net.com)			
1.4	Emergency telephone number Information not necessary.			
	You find our current versions of SDS (22 languages) in Internet: http://www.mn-net.com/SDS			
SECT	FION 2: Hazard identification			
2.1	Classification of the substance or mixture			
	100 test strips			
	Do not need labelling as hazardous Signal word -			
	No hazard class			
2.2	Label elements			
	100 test strips Do not need labelling as hazardous Signal word: -			
2.3	Other hazards			

Possible hazards from physicochemical properties

According to our current status of knowledge and experience we state, that this product does not contain any substances, which in accordance with EC regulations 1272/2008/EC, 1907/2006/EC and German Regulations for Hazardous goods - have to be declared as dangerous goods, either because of their applied concentration or because of their total amount in anyone kit. An individual package has considerably less hazardous potential. -

Information pertaining to particular risks to human and possible symptoms

Information pertaining to particular risks to the environment

ACHEREY-NAGE (MN> ISO 9001 CERTIFIEI

MACHEREY-NAGEL GmbH & Co. KG · Neumann-Neander-Str. 6-8 · 52355 Düren · Germany DE/international: CH: FR: US: Tel.: +49 24 21 969-0 Tel.: +41 62 388 55 00 Tel.: +33 388 68 22 68 Tel.: +1 484 821 0984 Fax: +49 24 21 969-199 Fax: +41 62 388 55 05 Fax: +33 388 51 76 88 Fax: +1 484 821 1272 Version: M V 4.12.0 E-mail: info@mn-net.com E-mail: sales-ch@mn-net.com E-mail: sales-fr@mn-net.com E-mail: sales-us@mn-net.com

www.mn-net.com



according to Regulations 1907/2006/EC (REACh) and 2015/830/EU

REF: 91323 QUANTOFIX Carbonate alkalinity Page: 2/6 Printing date: 12.05.2021 Date of issue: 14.02.2019

Other hazards

SECTION 3: Composition/information on ingredients

Substances or 3.2 Mixtures 3.1

100 test strips

t strips		
Chemical: cellulo	se	CAS No.: 9004-34-6
Classification:	No criteria for classification or naming of chemical not required.	
Formula:	(C ₆ H ₁₀ O ₅) _n	
TSCA Inventory:	listed	
REACH Reg. No.:	exempt, Annex IV	
EC No.:	232-674-9	
RTECS:	FJ5691460	
KE No.:	KE-05339	
Concentration:	1 - <10 %	
acc. CLP (GHS):	The criteria for classification are not fulfilled.	
Chemical: chemic	cals/mixture < 1%	CAS No.: -
Classification:	No criteria for classification or naming of chemical not required.	
TSCA Inventory:	all listed, <1%	
KE No.:	listed	
Concentration:	0.1 - <1 %	
acc. CLP (GHS):	The criteria for classification are not fulfilled.	
Chemical: PVC for	bil (CAS 9002-86-2)	CAS No.: -
Classification:	No criteria for classification or naming of chemical not required.	
TSCA Inventory:	listed	
Concentration:	95 - <100 %	
acc. CLP (GHS):	The criteria for classification are not fulfilled.	

3.3 Remarks

When not listed, mixtures are added with water [CAS No. 7732-18-5] to 100%.

- - -

SECTION 4: First aid measures

4.1 Description of first aid measures

Place insured person out of danger zone to fresh air immediately.

4.1.1 After SKIN Contact Remove dust with wetted tissue. Not necessary. 4.1.2 After EYE Contact Rub dust with teardrops from eyes Not necessary. 4.1.3 After INHALATION of vapours Not necessary. After inhalation of dust fresh air should be inhaled. ---4.1.4 After ORAL Intake Not necessary. ---

4.2 Most important symptoms and effects, both acute and delayed

4.3 Indication of any immediate medical attention and special treatment needed No additionally recommendations. ---



MACHEREY-NAGEL GmbH & Co. KG · Neumann-Neander-Str. 6-8 · 52355 Düren · Germany DE/international: CH: FR: Tel.: +49 24 21 969-0 Tel.: +41 62 388 55 00 Tel.: +33 388 68 22 68 Fax: +49 24 21 969-199 Fax: +41 62 388 55 05 Fax: +33 388 51 76 88 Version: M V 4.12.0 E-mail: info@mn-net.com E-mail: sales-ch@mn-net.com E-mail: sales-fr@mn-net.com www.mn-net.com

US: Tel.: +1 484 821 0984 Fax: +1 484 821 1272 E-mail: sales-us@mn-net.com



according to Regulations 1907/2006/EC (REACh) and 2015/830/EU

REF: 91323	QUANTOFIX Carbonate alkalinity	Page: 3/6
Printing date: 12.05.2021	Date of issue: 14.02.2019	

SECTION 5: Firefighting measures

5.1 Extinguishing media Fire extinguishers appropriate to the fire classification, and, if applicable, a fire blanket must be available in a prominent location in the work area. All extinguishers like FOAM, WATER SPRAY, DRY POWDER, CARBON DIOXIDE can be used. 5.2 Special hazards arising from the substance or mixture None 5.3 Advice for firefighters No, for listed product. Product package burns like paper or plastic. 54 Additional information SECTION 6: Accidental release measures Personal precautions, protective equipment and emergency procedures 6.1 Not necessary. 6.2 **Environmental precautions** not necessary 6.3 Methods and material for containment and cleaning up Clean working area with water. Flush used water into drains. 6.4 Reference to other sections SECTION 7: Handling and storage 7.1 Precautions for safe handling Handling in accordance with the test instruction, that comes with the product. 7.2 Conditions for safe storage, including any incompatibilities The original product package of MACHEREY-NAGEL allows a safe storage. Storage class (VCI): 11 Water hazard class (DE): 1 Requirements for stock rooms and containers 7.2.1 Keep original product packages tightly closed during handling and storage. 7.3 Specific end use(s) Product for analytical use. If CE labelling: Product for in-vitro-diagnostic use (IVD) or Accessory for medical use SECTION 8: Exposure controls/personal protection 8.1 **Control parameters** 100 test strips Chemical: cellulose CAS No.: 9004-34-6 TRGS 900 (DE): Staub 1.25 A / 4 E mg/m³ E/e respirable

SUVA(CH) MAK value: 3 a ppm I: TWA 10 (total) / 5 (resp) mg/m³ [TWA] Time-weighted average to a reference period of 8 hours, [STEL] Short-term exposure limit related to a 15-minute period NIOSH: OSHA: TWA 15 (total) / 5 (resp) mg/m³ Chemical: chemicals/mixture < 1% CAS No.: -CAS No .: -

PVC foil (CAS 9002-86-2) Chemical:

8.2 Exposure controls

Not necessary.

www.mn-net.com

MACHEREY-NAGEL GmbH & Co. KG · Neumann-Neander-Str. 6-8 · 52355 Düren · Germany ACHEREY-NAGE DE/international: CH: **FR**· US: <mn> Tel.: +49 24 21 969-0 Tel.: +41 62 388 55 00 Tel.: +33 388 68 22 68 Tel.: +1 484 821 0984 ISO 9001 CERTIFIEI Fax: +49 24 21 969-199 Fax: +41 62 388 55 05 Fax: +33 388 51 76 88 Fax: +1 484 821 1272 Version: M V 4.12.0 E-mail: info@mn-net.com E-mail: sales-ch@mn-net.com E-mail: sales-fr@mn-net.com E-mail: sales-us@mn-net.com



according to Regulations 1907/2006/EC (REACh) and 2015/830/EU

	1323	QUANTOFIX Car	rbonate alkalinity	Page: 4/6
Printing date: 12.05.2021		Date of issue: 14	Date of issue: 14.02.2019	
8.2.1	Respiratory protection Not necessary.			
8.2.2	Hand protection Not necessary.			
8.2.3	Eye protection Not necessary.			
8.2.4	Skin protection Not necessary.			
8.2.5	Personal hygiene Information not necessary.			
SECT	ION 9: Physical and ch	nemical properties		
9.1	Information on basic physical and chemical properties			
	100 test strips Appearance: solid	Colour: colored	Odor: odorless	
ə.2	Other information Relevant Properties of Substar	ice Group		
SECT	FION 10: Stability and r	eactivity		
10.1	Reactivity None			
10.1				
10.2	Chemical stability No known instability.			
10.2	-	reactions		
	No known instability. Possibility of hazardous	reactions		
10.2 10.3	No known instability. Possibility of hazardous None. Conditions to avoid Not known Incompatible materials	reactions	ents.	

11.1 Information on toxicological effects

Following information is valid for pure substances. Quantitative data on the toxicity of this product are not available.

100 test strips

Chemical: ce	ellulose		CAS No.: 9004-34-6
TSCA Inventory:	listed	California Proposition 65 List: not lis	ted
Exposure Routes:	inhalation, skin and	/or eye contact	
Target Organs:	Eyes, skin, respirate	ory system	
Symptoms:	irritation eyes, skin,	mucous membrane	
Australia NICNAS:	not listed	Canada CEPA 1999: DSL y	es
Japan CSCL/PRTR:	not listed, Japan PD	DSCL: not listed	
Japan ISHL:	not listed		
South Korea TCCA:	not listed		
Korea Exist.Chem.Inve	ntory: KE-05339		
LD50 _{orl rat} :	>5000 mg/kg		
LC50 _{ihl rat} :	>5800 _{4h} mg/m³		
LD50 _{drm rbt} :	>2000 mg/kg		



MACHEREY-NAGEL GmbH & Co. KG · Neumann-Neander-Str. 6-8 · 52355 Düren · Germany US: DE/international: CH: FR: +41 62 388 55 00 Tel.: +49 24 21 969-0 Tel.: Tel.: +33 388 68 22 68 Tel.: +1 484 821 0984 +49 24 21 969-199 +41 62 388 55 05 Fax: Fax: Fax: +33 388 51 76 88 Fax: +1 484 821 1272 Version: M V 4.12.0 E-mail: info@mn-net.com E-mail: sales-ch@mn-net.com E-mail: sales-fr@mn-net.com E-mail: sales-us@mn-net.com

www.mn-net.com



according to Regulations 1907/2006/EC (REACh) and 2015/830/EU

REF: 9	1323	QUANTOFIX Carbonate	alkalinity Page: {
Printing date: 12.05.2021		Date of issue: 14.02.2019	
	Chemical: chemi TSCA Inventory: Korea Exist.Chem.Inventory	icals/mixture < 1% all listed, <1% /: listed	CAS No.: -
	Chemical: PVC t TSCA Inventory:	ioil (CAS 9002-86-2) listed	CAS No.: -
SECT	ION 12: Ecological inf	ormation	
12.1	Toxicity Following information is valid	for pure substances.	
	100 test strips	ellulose	CAS No.: 9004-34-6
	Chemical: c Water hazard class (DI Storage class (VCI):	hemicals/mixture < 1% E): 1 12-13	CAS No.: -
	Chemical: F	VC foil (CAS 9002-86-2)	CAS No.: -
12.2	Persistence and degrad	ability	
12.3	Bioaccumulative potent	al	
12.4	Mobility in soil not necessary		
12.5	Results of PBT and vPv no data available	B assessment	
12.6	Other adverse effects no additional data available		
	TION 13: Disposal cons	siderations	
		le le	
13.1	Waste treatment method GENERAL: Empty solids into mu	IS unicipal waste, empty liquids diluted into dra	ains.

SECTION 14: Transport information

14.1 - 14.4 Not necessary

14.5 **Environmental hazards**

none 14.6 Special precautions for user not necessary

Transport in bulk according to Annex II of MARPOL and the IBC Code 14.7 not applicable



MACHEREY-NAGEL GmbH & Co. KG · Neumann-Neander-Str. 6-8 · 52355 Düren · Germany DE/international: CH: FR: +41 62 388 55 00 Tel.: +49 24 21 969-0 Tel.: Tel.: +33 388 68 22 68 +49 24 21 969-199 +41 62 388 55 05 Fax: Fax: Fax: +33 388 51 76 88 Version: M V 4.12.0 E-mail: info@mn-net.com

E-mail: sales-ch@mn-net.com

E-mail: sales-fr@mn-net.com

US: Tel.: +1 484 821 0984 Fax: +1 484 821 1272 E-mail: sales-us@mn-net.com

www.mn-net.com



according to Regulations 1907/2006/EC (REACh) and 2015/830/EU

REF: 91323	QUANTOFIX Carbonate alkalinity	Page: 6/6
Printing date: 12.05.2021	Date of issue: 14.02.2019	

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture German act governing protection from hazardous substances (Chemicals Act / Chemikaliengesetz- ChemG), revised on August 2013 German order governing protection from hazardous substances (Ordinance on Hazardous Substances / Gefahrstoffverordnung -GefStoffV), revised on November 2010, according to Directive 98/24/EC MN Leaflet/User manual, also see www.mn-net.com Look for your country-specific regulations.

15.2 Chemical safety assessment

SECTION 16: Other information

- 16.1 List of H and P phrases
- 16.1.1 List of relevant H phrases

16.1.2 List of relevant P phrases

- 16.2 Training advice
 - Regular safety training.
- 16.3 Recommended restriction on use None

16.4 **Further information**

MACHEREY-NAGEL GmbH & Co. KG provides the information contained herein in good faith being up-to-date of own realizations at revision time. This document is intended only as a guide to the appropriate precautionary handling of the material by a properly trained person using this product. Individuals receiving the information must exercise their independent judgement in determining its appropriateness for a particular purpose.

MACHEREY-NAGEL GmbH & Co. KG makes NO REPRESENTATIONS or WARRANTIES, either expressed or implied, including without limitation any warranties of merchantability, fitness for a particular purpose with respect to the information set forth herein or the product to which the information refers. Accordingly MACHEREY-NAGEL GmbH & Co. KG will not be responsible for damages resulting from use of or reliance upon this information. See terms and conditions at the end of our price lists for additional information.

16.5 Sources of key data

Regulation 453/2010/EU REACH - REQUIREMENTS FOR THE COMPILATION OF SAFETY DATA SHEETS Regulation 487/2013/EU, 4th adaptation of CLP regulation to technical and scientific progress Regulation 669/2018/EU, 4th adaptation of CLP regulation to technical and scientific progress Regulation 1480/2018/EU, 4th adaptation of CLP regulation to technical and scientific progress TRGS 900, German engineering rules governing limits in air at work, updated 03/2019 SUVA .CH, Limits in air at work 2009, revised on 01.2009 KÜHN, BIRETT Merkblätter Gefährliche Arbeitsstoffe (Data Sheets of Hazardous Substances)

Revisions/Updates

Reason for Revision: 2016-03 Adaptation of regulation 1221/2015/EU

www.mn-net.com



MACHEREY-NAGEL GmbH & Co. KG · Neumann-Neander-Str. 6-8 · 52355 Düren · Germany DE/international: CH: **FR**· US: Tel.: +49 24 21 969-0 Tel.: +41 62 388 55 00 Tel.: +33 388 68 22 68 Fax: +49 24 21 969-199 Fax: +41 62 388 55 05 Fax: +33 388 51 76 88 Version: M V 4.12.0 E-mail: info@mn-net.com E-mail: sales-ch@mn-net.com E-mail: sales-fr@mn-net.com

Tel.: +1 484 821 0984 Fax: +1 484 821 1272 E-mail: sales-us@mn-net.com